

A large, abstract graphic element on the left side of the page consists of several overlapping triangles. Some triangles are filled with a solid black color, while others are filled with a solid red color. They are arranged in a way that suggests depth and movement, pointing towards the right side of the page.

outdoor living solutions outdoor living solutions outdoor living solutions outdoor living solutions outdoor living
solutions outdoor living solutions outdoor living solutions outdoor living solutions outdoor living solutions o
living solutions outdoor living solutions outdoor living solutions outdoor living solutions outdoor living so

Ürün Kataloğu
Product Catalogue
www.acvizyon.com



door living solutions outdoor living solutions outdoor living solutions outdoor living solutions
utions outdoor living solutions outdoor living solutions outdoor living solutions
; living solutions outdoor living solutions outdoor living solutions outdoor living solutions



AKDENİZ A.Ş HAKKINDA

1978 yılında, Hilmi Akdeniz tarafından kurularak, cam sektöründe faaliyetlerine başlayan Akdeniz Cam A.Ş. bağlı bulunduğu değerler çerçevesinde, yaşamın her alanında kullanılan camı yüksek kalite standartlarında müşterilerine sunmuş ve cam sektöründeki önemli firmalardan biri haline gelmeyi başarmıştır. Dünya üzerindeki teknolojik gelişmeleri takip ederek 1995 yılından itibaren faaliyet alanını alüminyum doğrama, giydirme cephe, cam ve kompozit yapı elemanları ile cephe kaplama taahhütlerine doğru genişletmiştir. İlerleyen yıllarda büyümeye hız vererek faaliyet alanlarına; Yapı Otomasyon Sistemleri, Sergileme Sistemleri Üretimi ve Katlanır Cam Sistemleri üretimlerini de dahil etmiştir. 2006 yılı itibarıyle kurmuş olduğu yeni üretim tesisisinde her türlü Endüstriyel Cam, Bombe Cam, Temperli Cam, Lamine Cam, Isıcam ve Otomotiv Camları üretimine de başlamıştır.

Türkiye'nin saygın markaları arasında yer alan Akdeniz A.Ş., 17.500 m² kapalı alanda, her biri kendi alanında uzman yaklaşık 300 çalışanı, kaliteli hizmet anlayışı ve güçlü lojistik altyapısı ile dünya standartlarına uygun şekilde faaliyetlerini sürdürmektedir. Satış öncesi ve sonrası verdiği teknik bilgi hizmeti ile her türlü projede çözüm ortağı olarak müşterilerinin yanında yer almaktadır.

Akdeniz Cam A.Ş., yeniliğe ve gelişime açık şirket kültürü, çağdaş global şirket anlayışı ve teknolojik donanımı ile kalite ve müşteri memnuniyetini esas almaktadır. Sahip olduğu kalite belgeleri, titizlikle yürüttüğü çevre yönetim sistem bilinci, güvenilirliği, kullandığı teknoloji ve özel çözümler üretme gücü ile yurt içinde ve yurt dışında pazar payını sürekli artırmaktadır. Kendi tasarım ve Ar-Ge gruplarının geliştirdiği ürün ve sistemlerini, dünya standartlarında imal ederek, kalite kontrollerini tamamladıkten sonra pazara sunmaktadır. Bu çalışmalarla sektörün gelişimine de ciddi katkılar sağlamanın gururunu yaşamaktadır.

Müşteri odaklı yaklaşımı ile sektörün ihtiyaç ve bekleyenlerini karşılayacak ürünlerini güçlü pazarlama ağı sayesinde Türkiye'de ve dünyanın birçok ülkesinde pazara sunmaktadır.

Yurtdışında ve dışında oldukça yüksek bilinirliği olan Akdeniz A.Ş.; kalite, güven, rekabetçilik, teknolojik üstünlük ve faaliyet alanı çeşitliliği gibi özellikleriyle öne çıkmakta ve kendisini geleceğe taşıımaktadır. İnsana verdiği değer, çalışanlarına duyduğu güven ve kurumsallığın getirmiş olduğu sorumluluk ile 38 yıllık başarılı bir geçmişi ardına alarak yeni umutlar ve projeler ile yoluna devam etmektedir.

ABOUT AKDENİZ CORP.

Akdeniz Glass Corp, founded by Mr Hilmi Akdeniz in 1978 and started its activities in glass sector, provided high quality glass products and solutions to its customer within the framework of its values, and in a short time, became one of the reputable and successful glass companies in the region. By following technological developments closely, Akdeniz has expanded its activities towards aluminum joinery, curtain wall, glass and composite structure elements and facing works since 1995. In the forthcoming years, it has accelerated the growth and expanded the operations into Structural Automation Systems and manufacturing Carpet Display Systems and Folding Glass Systems. In its new production facility, completed in 2006, Akdeniz now produces all kinds of Industrial, Curved, Tempered, Laminated, Automotive and Double Glass options. Akdeniz Corp, one of the top companies in Turkey now, maintains its activities according to world standards in a factory of 17.500m² closed area, with 300 skilled labor, strong logistics infrastructure and our devotedness to providing high-quality services.

Akdeniz Corp is based on high-quality and customer satisfaction concept with modern global company mentality, technological structure and its company culture open for innovation and development. Akdeniz keeps increasing its market share both outside and inside Turkey thanks to its ability to provide customized solutions, rigorously performed environmental management system awareness and also its reliability, technology and quality certificates. Akdeniz consistently puts new systems on market after making their unique designs in R&D departments and applying all necessary operational tests. With every new system, Akdeniz takes justified pride of contributing the development of the sector. Akdeniz offers its products in Turkey and many countries in the world thanks to its strong and wide sales network and customer-focused mentality. Akdeniz Corp, having high recognition both inside and abroad, is distinguished by its characteristics like quality, reliability, competitiveness, technological competency and wide range of operation and brings itself into the future. Akdeniz is proceeding on its way with new hopes and projects thanks to its mentality on putting emphasis on person, having confidence on its labors and sense of corporate responsibility, by leaving a successful 38 year-old story behind.

MARKAMIZ "VİZYON"UN DOĞUŞU

Akdeniz Cam A.Ş. tarafından cam balkon sistemleri markası olarak kurulan "VİZYON" 13 yıldır pazarda adından övgüyle söz ettirmektedir.

Ar-Ge gruplarının hassas çalışmaları ve müşterilerimizden gelen talepler doğrultusunda üretilen Vizyon etiketli ürünler, satış sonrası destek ve mutlak müşteri memnuniyeti anlayışımızla sektöründe prestijli bir yer edinmeyi başarmıştır.

Yurtçi ve yurt dışında yaygın bayi ağı ile ulaşılabilirliğe de yatırım yapan Vizyon markası uluslararası arenada da Avrupa'dan, Amerika'ya, Afrika'dan Asya ve Avustralya'ya kadar 6 kıtada bir Türk markası olarak yer almanın gururunu yaşamaktadır.

Üretimden satış sonrasında kadar tüm süreçlerde kaliteden taviz vermemeye, prestijli mekanlarınız için çağdaş çözümler sunmaya ve koşulsuz müşteri memnuniyeti anlayışımızla siz değerli dostlarımıza hizmet vermeye devam edeceğiz.



THE BIRTH OF OUR BRAND "VİZYON"

VİZYON, as the brand of balcony glazing systems developed and introduced by AKDENİZ GLASS CORP., has made a distinguished name of itself in the market for the last 13 years.

Vizyon branded products, manufactured in accordance with sensitive studies of our R&D teams and demands from our valued customers, have established a reputable market presence thanks to our perception on absolute customer satisfaction and after sales support.

With its wide network both inside and outside of Turkey, Vizyon also invests on accessibility and market recognition and takes the justified pride of being a reputable Turkish brand in international markets within 6 continents.

We will be carrying on serving our valued customers and friends with our perception on non-comprising from quality, providing modern solutions for your prestigious spaces and absolute customer satisfaction.

				
Sistem System	VBS	VDS	SCS-L	SCS-X
Cam Balkon Sistemi Balcony Glazing System	Isıcamlı Cam Balkon Sistemi Double - Glass Balcony Glazing System	Sürme Eşiksiz Cam Sistemi Sliding Glass System	Sürme Eşikli Cam Sistemi Sliding Glass System	
Alüminyum - Cam Aluminium - Glass	Alüminyum - Cam Aluminium - Glass	Alüminyum - Cam Aluminium - Glass	Alüminyum - Cam Aluminium - Glass	
6-8-10 mm Temperli / Tempered 3+4 - 4+5 Lamine / Laminated	4+20+4 Temperli Isıcam / Tempered Double - Glass	8-10 mm Temperli Cam / Tempered Glasses	8-10 mm Temperli Cam / Tempered Glasses	
Nat. Eloksal - Bronz Eloksal - St. Beyaz - Ahşap Desen - Pres - RAL Renkleri Natural Anodised- Bronze Anodised - White - Wooden Coated - Raw - RAL Colours Aksesuar Renkleri; Siyah - Gri - Beyaz Accessory Colours; Black - Grey - White	Nat. Eloksal - Bronz Eloksal - RAL Renkleri Natural Anodised - Bronze Anodised - RAL Colours Aksesuar Rengi; Siyah Accessory Colour; Black	Nat. Eloksal - Ahşap Desen - RAL Renkleri Natural Anodised - Wooden Coated - RAL Colours Aksesuar Renkleri; Siyah - Gri Accessory Colours; Black - Grey	Nat. Eloksal - Ahşap Desen - RAL Renkleri Natural Anodised - Wooden Coated - RAL Colours Aksesuar Renkleri; Siyah - Gri Accessory Colours; Black - Grey	
650 mm	650 mm	1000 mm	1200 mm	
2500 mm	2500 mm	2500 mm	2500 mm	



KCS

Üstten Askılı Katlanır Cam Sistemi
Folding Glass Door System

Alüminyum - Cam
Aluminium - Glass

10-12 mm Temperli Cam / Tempered
Glasses

Nat. Eloksal - Ahşap Desen - RAL Renkleri
Natural Anodised - Wooden Coated - RAL
Colours

Aksesuar Rengi; Siyah
Accessory Colour; Black

1000 mm

3500 mm



KCS-L

Menteşeli Katlanır Cam Sistemi
Hinged Folding Glass Door System

Alüminyum - Cam
Aluminium - Glass

10-12 mm Temperli Cam / Tempered
Glasses

Nat. Eloksal - RAL Renkleri
Natural Anodised - RAL Colours

Aksesuarlar Metaldir.
Accessories are Metal.

900 mm

3500 mm



KCS-X

Menteşeli Katlanır Cam Sistemi - Raylı
Hinged Folding Glass Door System - Railed

Alüminyum - Cam
Aluminium - Glass

10-12 mm Temperli Cam / Tempered
Glasses

Nat. Eloksal - RAL Renkleri
Natural Anodised - RAL Colours

Aksesuarlar Metaldir.
Accessories are Metal.

900 mm

3500 mm



KDS

Isı Yalıtımlı Katlanır Kapı Sistemi
Insulated Folding Door System

Alüminyum - Cam
Aluminium - Glass

10-28 mm Temperli ve Isı Yalıtımlı Cam
/ Tempered and Insulated Glasses

Nat. Eloksal - Pres - RAL Renkleri
Natural Anodised- Raw and RAL Colours

Aksesuar Renkleri; Siyah - Gri - Beyaz
Accessory Colours; Black - Grey - White

900 mm

3500 mm



outdoor living solutions

www.acvizon.com

VBS CAM BALKON SİSTEMİ
VBS BALCONY GLAZING SYSTEM




Cam Balkon Sistemi

Sistem	VBS Cam Balkon Sistemi
Materyal	Alüminyum - Cam
Cam Kalınlıkları	Temperli 6-8-10 mm / Lamine 3+4 - 4+5
Profil Rengi	Nat. Eloksal - Bronz Eloksal - St. Beyaz - Ahşap Desen - Pres - RAL Renkleri
Aksesuar Rengi	Siyah - Gri - Beyaz
Maks. Kanat gen.	650 mm
Maks. Kanat yük.	2500 mm

Balcony Glazing System

System	VBS Balcony Glazing System
Material	Aluminium - Glass
Glass Thicknesses	Tempered 6-8-10 mm / Laminated 3+4 - 4+5
Colour opt. for profiles	Natural Anodised- Bronze Anodised - White - Wooden Coated - Raw - RAL Colours
Colour opt. for acc.	Black - Grey - White
Max. Panel width	650 mm
Max. Panel height	2500 mm






VBS CAM BALKON SİSTEMİ | VBS BALCONY GLAZING SYSTEM | VBS CAM BALKON SİSTEMİ



VBS 38

Paket Tipi 60 mt
Package Type 60 lm
Ağırlık / Weight / BEC 0.502 Kg/m



VBS 39

Paket Tipi 24 mt
Package Type 24 lm
Ağırlık / Weight / BEC 0.715 Kg/m



VBS 40

Paket Tipi 24 mt
Package Type 24 lm
Ağırlık / Weight / BEC 0.76 Kg/m



VBS 46

6 mm
Paket Tipi 24 mt
Package Type 24 lm



VBS 05

Paket Tipi 50 adet
Package Type 50 pcs



VBS 06

Paket Tipi 50 adet
Package Type 50 pcs



VBS 07 A

Paket Tipi 10 adet
Package Type 10 pcs



VBS 07 B

Paket Tipi 10 adet
Package Type 10 pcs



VBS 08 A

Paket Tipi 10 adet
Package Type 10 pcs



VBS 08 B

Paket Tipi 10 adet
Package Type 10 pcs



VBS 49 A

Paket Tipi 10 adet
Package Type 10 pcs




VBS 49 B

Paket Tipi 10 adet
Package Type 10 pcs




VBS 50 A

Paket Tipi 10 adet
Package Type 10 pcs



VBS CAM BALKON SİSTEMİ | VBS BALCONY GLAZING SYSTEM | VBS CAM BALKON SİSTEMİ







VBS CAM BALKON SİSTEMİ | VBS BALCONY GLAZING SYSTEM | VBS CAM BALKON SİSTEMİ



PA 01
Paket Tipi 1 adet
Package Type 1 pc



DST 02
Paket Tipi 30 mm
Package Type 25 m



BS 03
Paket Tipi 6.0x500
Package Type 425 m/rulo



BS 04
Paket Tipi 6.7x1500
Package Type 100 m/roll



BS 05
Paket Tipi 6.7x1200
Package Type 200 m/ruло



SF 01 6
Paket Tipi 6 mm
Package Type 200 mt



SF 01 8
Paket Tipi 8 mm
Package Type 200 mt



SF 01 10
Paket Tipi 10 mm
Package Type 200 mt






- Nat. Eloksal - Natural Anodised
 - Bronz Eloksal - Bronze Anodised
 - St Beyaz - White Ral 9016
 - Ahşap Desen - Wooden Coated
 - Pres - Raw
 - Diğer RAL Renkleri - Other RAL Colours
- Profil Renkleri**
Profile Colours

- Gri - Grey
 - Siyah - Black
 - Beyaz - White
- Aksesuar Renkleri**
Accessory Colours

- 1 VBS 01
- 2 VBS 02
- 3 VBS 04
- 4 VBS 05
- 5 VBS 06
- 6 VBS 08 A
- 7 VBS 08 B
- 8 VBS 11 A
- 9 VBS 11 B
- 10 VBS 15 A
- 11 VBS 15 B
- 12 VBS 15 C
- 13 VBS 15 D
- 14 VBS 15 E
- 15 VBS 15 F
- 16 VBS 15 G
- 17 VBS 15 H
- 18 VBS 24
- 19 VBS 28
- 20 VBS 38
- 21 VBS 53
- 22 VBS 54 A
- 23 VBS 54 B
- 24 BS 05
- 25 SF 01 8



ons outdoor living solutions outdoor living solutions outdoor living solutions
living solutions outdoor living solutions outdoor living solutions outdoor living solutions
is outdoor living solutions outdoor living solutions outdoor living solutions

VDS ISİCAMLı CAM BALKON SİSTEMİ

VDS DOUBLE - GLASS BALCONY GLAZING SYSTEM



Isıcamlı Cam Balkon Sistemi

Sistem	VDS Isıcamlı Cam Balkon Sistemi
Materyal	Alüminyum - Cam
Cam Kalınlıkları	4+20+4 Temperli Isıcam
Profil Rengi	Nat. Eloksal - Bronz Eloksal - RAL Renkleri
Aksesuar Rengi	Siyah
Maks. Kanat gen.	650 mm
Maks. Kanat yük.	2500 mm

Double - Glass Balcony Glazing System

System	VDS Double - Glass Balcony Glazing System
Material	Aluminium - Glass
Glass Thicknesses	4+20+4 Tempered Double - Glass
Colour opt. for profiles	Natural Anodised - Bronze Anodised - RAL Colours
Colour opt. for acc.	Black
Max. Panel width	650 mm
Max. Panel height	2500 mm

VDS ISICAMLI CAM BALKON SİSTEMİ | VDS DOUBLE - GLASS BALCONY GLAZING SYSTEM



VBS 01
Paket Tipi 18 mt
Package Type 18 lm



VDS 02
Paket Tipi 24 mt
Package Type 24 lm



VDS 03
Paket Tipi 24 mt
Package Type 24 lm



VDS 04
Paket Tipi 48 mt
Package Type 48 lm



VDS 05
Paket Tipi 36 mt
Package Type 36 lm



VDS 06
Paket Tipi 36 mt
Package Type 36 lm



VDS 07
Paket Tipi 36 mt
Package Type 36 lm



VDS 08
Paket Tipi 36 mt
Package Type 36 lm



VDS 09
Paket Tipi 24 mt
Package Type 24 lm



VDS 10
Paket Tipi 18 mt
Package Type 18 lm



VBS 28
Paket Tipi 20x40
Package Type 60 lm
Ağırlık / Weight / BEC 0.38 Kg/m




VBS 29
Paket Tipi 36 mt
Package Type 36 lm
Ağırlık / Weight / BEC 0.55 Kg/m



VBS 30
Paket Tipi 24 mt
Package Type 24 lm
Ağırlık / Weight / BEC 0.66 Kg/m



Nat. Eloksal - Natural Anodised
 Bronz Eloksal - Bronze Anodised
 Diğer RAL Renkleri - Other RAL Colours



Aksesuar Renkleri
Accessory Colours

VDS ISICAMLI CAM BALKON SİSTEMİ | VDS DOUBLE - GLASS BALCONY GLAZING SYSTEM



VBS 31

Paket Tipi 120 mt
Package Type 120 lm
Ağırlık / Weight / BEC 0.21 Kg/m



VBS 32

Paket Tipi 36 mt
Package Type 36 lm
Ağırlık / Weight / BEC 0.51 Kg/m



VBS 33

Paket Tipi 24 mt
Package Type 24 lm
Ağırlık / Weight / BEC 0.81 Kg/m



VBS 34

Paket Tipi 90 mt
Package Type 90 lm
Ağırlık / Weight / BEC 0.20 Kg/m



VBS 35

Paket Tipi 60 mt
Package Type 60 lm
Ağırlık / Weight / BEC 0.32 Kg/m



VBS 36

Paket Tipi 6 mt
Package Type 6 lm
Ağırlık / Weight / BEC 0.67 Kg/m



VBS 38

Paket Tipi 60 mt
Package Type 60 lm
Ağırlık / Weight / BEC 0.502 Kg/m



VBS 39

Paket Tipi 24 mt
Package Type 24 lm
Ağırlık / Weight / BEC 0.715 Kg/m



VBS 40

Paket Tipi 24 mt
Package Type 24 lm
Ağırlık / Weight / BEC 0.76 Kg/m



VBS 05

Paket Tipi 50 adet
Package Type 50 pcs



VBS 06

Paket Tipi 50 adet
Package Type 50 pcs



VBS 07 A

Paket Tipi 10 adet
Package Type 10 pcs



VBS 07 B

Paket Tipi 10 adet
Package Type 10 pcs



VBS 08 A

Paket Tipi 10 adet
Package Type 10 pcs



VBS 08 B

Paket Tipi 10 adet
Package Type 10 pcs



VBS 49 A
Paket Tipi 10 adet
Package Type 10 pcs



VBS 49 B
Paket Tipi 10 adet
Package Type 10 pcs



VBS 50 A
Paket Tipi 10 adet
Package Type 10 pcs



VBS 50 B
Paket Tipi 10 adet
Package Type 10 pcs



VBS 52
Paket Tipi 10 adet
Package Type 10 pcs



VBS 53
Paket Tipi 10 takım
Package Type 10 sets



VBS 54 A
Paket Tipi 10 adet
Package Type 10 pcs



VBS 54 B
Paket Tipi 50 adet
Package Type 50 pcs



VBS 09
Paket Tipi 10 takım
Package Type 10 sets



VBS 10
Paket Tipi 20 takım
Package Type 20 sets



VBS 11 A
Paket Tipi 25 takım
Package Type 25 sets



VBS 11 B
Paket Tipi 25 takım
Package Type 25 sets



VBS 12
Paket Tipi 100 adet
Package Type 100 pcs



Profil Renkleri
Profile Colours



Aksesuar Renkleri
Accessory Colours

VDS ISİCAMLı CAM BALKON SİSTEMİ | VDS DOUBLE - GLASS BALCONY GLAZING SYSTEM

VDS

**VBS 13**

Paket Tipi

50 adet

Package Type

50 pcs

**VBS 14**

Paket Tipi

50 adet

Package Type

50 pcs

**VDS 11**

Paket Tipi

25 adet

Package Type

25 pcs

**VDS 12**

Paket Tipi

25 adet

Package Type

25 pcs

**VDS 13**

Paket Tipi

25 adet

Package Type

25 pcs

**VDS 14**

Paket Tipi

25 adet

Package Type

25 pcs

**VDS 15**

Paket Tipi

25 adet

Package Type

25 pcs

**VDS 16**

Paket Tipi

25 adet

Package Type

25 pcs

**VDS 17**

Paket Tipi

25 adet

Package Type

25 pcs

**VDS 18**

Paket Tipi

25 adet

Package Type

25 pcs

**VDS 19**

Paket Tipi

25 adet

Package Type

25 pcs

**VDS 20**

Paket Tipi

25 adet

Package Type

25 pcs

**VDS 21**

Paket Tipi

25 adet

Package Type

25 pcs


**VDS 22**

Paket Tipi

25 adet

Package Type

25 pcs



**VDS 23**

Paket Tipi


40 mt

Package Type

40 m



1	VBS 01
2	VBS 05
3	VBS 06
4	VBS 11 A
5	VBS 11 B
6	VBS 12
7	VBS 24
8	VBS 28
9	VBS 38
10	VBS 50 A
11	VBS 50 B
12	VBS 53
13	VBS 54 A
14	VBS 54 B
15	VDS 02
16	VDS 03
17	VDS 04
18	VDS 05
19	VDS 06
20	VDS 07
21	VDS 10
22	VDS 11
23	VDS 12
24	VDS 13
25	VDS 14
26	VDS 15
27	VDS 16
28	VDS 21
29	VDS 22
30	VDS 23
31	VDS 24
32	VDS 25
33	BS 03
34	BS 05



SCS-L SÜRME EŞİKSİZ CAM SİSTEMİ
SCS-L SLIDING GLASS SYSTEM





Sürme Eşiksiz Cam Sistemi

Sistem	SCS-L Sürme Eşiksiz Cam Sistemi
Materyal	Alüminyum - Cam
Cam Kalınlıkları	8-10 mm Temperli Cam
Profil Rengi	Nat. Eloksal - Ahşap Desen - RAL Renkleri
Aksesuar Rengi	Gri - Siyah
Maks. Kanat gen.	1000 mm
Maks. Kanat yük.	2500 mm

Sliding Glass System

System	SCS-L Sliding Glass System
Material	Aluminium - Glass
Glass Thicknesses	8-10 mm Tempered Glasses
Colour opt. for profiles	Natural Anodised - Wooden Coated - RAL Colours
Colour opt. for acc.	Grey - Black
Max. Panel width	1000 mm
Max. Panel height	2500 mm



SCS-L SÜRME EŞİKSİZ CAM SİSTEMİ | SCS-L SLIDING GLASS SYSTEM | SCS-L SÜRME EŞİKSİZ CAM SİSTEMİ

SCS-L



SCS-L 29 8 mm
Paket Tipi 180 mt
Package Type 180 lm



SCS-L 30 10 mm
Paket Tipi 180 mt
Package Type 180 lm



SCS-L 31 8 mm
Paket Tipi 24 mt
Package Type 24 lm



SCS-L 32 10 mm
Paket Tipi 24 mt
Package Type 24 lm



SCS-L 11
Paket Tipi 10 adet
Package Type 10 pcs




SCS-L 13 S Paslanmaz
Stainless Steel
Paket Tipi 1 takım
Package Type 1 set



SCS-L 13 A Alüminyum
Aluminum
Paket Tipi 1 takım
Package Type 1 set



SCS-L 16 A
Paket Tipi 2 adet
Package Type 2 pcs



SCS-L 16 B
Paket Tipi 2 adet
Package Type 2 pcs



SCS-L 17 A
Paket Tipi 2 adet
Package Type 2 pcs




SCS-L 17 B
Paket Tipi 2 adet
Package Type 2 pcs



SCS-L 15
Paket Tipi 10 takım
Package Type 10 sets



DL 04
Paket Tipi 1 takım
Package Type 1 set



- 1 SCS-L 01
- 2 SCS-L 02
- 3 SCS-L 03
- 4 SCS-L 04
- 5 SCS-L 05
- 6 SCS-L 11
- 7 SCS-L 13
- 8 SCS-L 15
- 9 SCS-L 16
- 10 SCS-L 17
- 11 SCS-L 19 B
- 12 SCS-L 20 B
- 13 SCS-L 29
- 14 BS 02
- 15 BS 05
- 16 DL 03



SCS-X SÜRME EŞİKLİ CAM SİSTEMİ
SCS-X SLIDING GLASS SYSTEM





SCS-X

Sürme Eşikli Cam Sistemi




Sistem	SCS-X Sürme Eşikli Cam Sistemi
Materyal	Alüminyum - Cam
Cam Kalınlıkları	8-10 mm Temperli Cam
Profil Rengi	Nat. Eloksal - Ahşap Desen - RAL Renkleri
Aksesuar Rengi	Gri - Siyah
Maks. Kanat gen.	1200 mm
Maks. Kanat yük.	2500 mm


Sliding Glass System

System	SCS-X Sliding Glass System
Material	Aluminium - Glass
Glass Thicknesses	8-10 mm Tempered Glasses
Colour opt. for profiles	Natural Anodised - Wooden Coated - RAL Colours
Colour opt. for acc.	Grey - Black
Max. Panel width	1200 mm
Max. Panel height	2500 mm



SCS-X SÜRME EŞİKLİ CAM SİSTEMİ | SCS-X SLIDING GLASS SYSTEM | SCS-X SÜRME EŞİKLİ CAM SİSTEMİ





- 1 SCS-X 01
- 2 SCS-X 02
- 3 SCS-X 03
- 4 SCS-X 04
- 5 SCS-X 05
- 6 SCS-X 11
- 7 SCS-X 13
- 8 SCS-X 14
- 9 SCS-X 15
- 10 SCS-X 16
- 11 SCS-X 17
- 12 SCS-X 19 B
- 13 SCS-X 20 B
- 14 SCS-X 29
- 15 BS 02
- 16 BS 05



KCS ÜSTTEN ASKILI KATLANIR CAM SİSTEMİ
KCS FOLDING GLASS DOOR SYSTEM



KCS

Üstten Askılı Katlanır Cam Sistemi

Sistem	KCS Üstten Askılı Katlanır Cam Sistemi
Materyal	Alüminyum - Cam
Cam Kalınlıkları	10-12 mm Temperli Cam
Profil Rengi	Nat. Eloksal - Ahşap Desen - RAL Renkleri
Aksesuar Rengi	Siyah
Maks. Kanat gen.	1000 mm
Maks. Kanat yük.	3500 mm

Folding Glass Door System

System	KCS Folding Glass Door System
Material	Aluminium - Glass
Glass Thicknesses	10-12 mm Tempered Glasses
Colour opt. for profiles	Natural Anodised - Wooden Coated - RAL Colours
Colour opt. for acc.	Black
Max. Panel width	1000 mm
Max. Panel height	3500 mm

KCS FOLDING GLASS DOOR SYSTEM | KCS ÜSTTEN ASKILI KATLANIR CAM SİSTEMİ



KCS 01
Paket Tipi 6 mt
Package Type 6 lm




KCS 02 10
Paket Tipi 10 mm
Package Type 12 lm



KCS 02 12
Paket Tipi 12 mt
Package Type 12 lm



VBS 28
Paket Tipi 20 x 40
Package Type 60 lm
Ağırlık / Weight / BEC 0.38 Kg/m



KCS 03
Paket Tipi 10 adet
Package Type 10 pcs



KCS 04
Paket Tipi 1 takım
Package Type 1 set



KCS 05
Paket Tipi 10 takım
Package Type 10 sets



KCS 06
Paket Tipi 10 takım
Package Type 10 sets



KCS 07
Paket Tipi 10 adet
Package Type 10 pcs



KCS 08
Paket Tipi 1 adet
Package Type 1 pc



KCS 11 P
Paket Tipi 20 adet
Package Type 20 pcs



KCS 12 P
Paket Tipi 20 adet
Package Type 20 pcs



KCS 13 P
Paket Tipi 20 adet
Package Type 20 pcs



Profil Renkleri
Profile Colours



Aksesuar Renkleri
Accessory Colours



KCS ÜSTTEN ASKILI KATLANIR CAM SİSTEMİ | KCS FOLDING GLASS DOOR SYSTEM



KCS 11 M
Paket Tipi
Package Type

Metal
20 adet
20 pcs



KCS 12 M
Paket Tipi
Package Type

Metal
20 adet
20 pcs



KCS 13 M
Paket Tipi
Package Type

Metal
20 pcs
20 pcs



KCS 16
Paket Tipi
Package Type

1 adet
1 pc



KCS 17
Paket Tipi
Package Type

1 adet
1 pc



KCS 19
Paket Tipi
Package Type

1 adet
1 pc



KCS 20
Paket Tipi
Package Type

1 adet
1 pc



KCS 22
Paket Tipi
Package Type

50 adet
50 pcs



KCS 23
Paket Tipi
Package Type

1 adet
1 pc



KCS 26
Paket Tipi
Package Type

1 takım
1 set



KCS 27
Paket Tipi
Package Type

1 adet
1 pc



DL 01
Paket Tipi
Package Type



1 takım
1 set




CK 070
Paket Detayları
Package Type

1 takım
1 set

KCS FOLDING GLASS DOOR SYSTEM | KCS ÜSTTEN ASKILI KATLANIR CAM SİSTEMİ



1	KCS 01
2	KCS 02
3	KCS 03
4	KCS 04
5	KCS 05
6	KCS 06
7	KCS 07
8	KCS 08
9	KCS 11
10	KCS 12
11	KCS 13
12	KCS 16
13	KCS 19
14	KCS 20
15	KCS 22
16	CK 070
17	DL 01
18	KF 20
19	SF 01 10
20	VBS 28



KCS-L MENTEŞELİ KATLANIR CAM SİSTEMİ
KCS-L HINGED FOLDING GLASS SYSTEM



kcs-l

Menteşeli Katlanır Cam Sistemi

Sistem	KCS-L Menteşeli Katlanır Cam Sistemi
Materyal	Alüminyum - Cam
Cam Kalınlıkları	10-12 mm Temperli Cam
Profil Rengi	Nat. Eloksal - RAL Renkleri
Aksesuar Rengi	Metal
Maks. Kanat gen.	900 mm
Maks. Kanat yük.	3500 mm

Hinged Folding Glass Door System

System	KCS-L Hinged Folding Glass Door System
Material	Aluminium - Glass
Glass Thicknesses	10-12 mm Tempered Glasses
Colour opt. for profiles	Natural Anodised - RAL Colours
Colour opt. for acc.	Metal
Max. Panel width	900 mm
Max. Panel height	3500 mm

KCS-L MENTEŞELİ KATLANIR CAM SİSTEMİ | KCS-L HINGED FOLDING GLASS DOOR SYSTEM



KCS 01
Paket Tipi 6 mt
Package Type 6 lm



KCS-L 02 10
Paket Tipi 12 mt
Package Type 12 lm



KCS-L 02 12
Paket Tipi 12 mt
Package Type 12 lm



VBS 28
Paket Tipi 60 mt
Package Type 60 lm
Ağırlık / Weight / BEC 0.38 Kg/m



KCS-L 03
Paket Tipi 10 adet
Package Type 10 pcs



KCS-L 04
Paket Tipi 1 takım
Package Type 1 set



KCS-L 05
Paket Tipi 10 takım
Package Type 10 sets



KCS 07
Paket Tipi 10 adet
Package Type 10 pcs



KCS-L 08
Paket Tipi 1 adet
Package Type 1 pc



KCS 12 M
Paket Tipi 20 adet
Package Type 20 pcs



KCS 20
Paket Tipi 1 adet
Package Type 1 pc



KCS 22
Paket Tipi 50 adet
Package Type 50 pcs



KCS-L 24 A
Paket Detayları 1 takım
Package Type 1 set




Profil Renkleri
Profile Colours




Aksesuar Renkleri
Accessory Colours

KCS-L MENTEŞELİ KATLANIR CAM SİSTEMİ | KCS-L HINGED FOLDING GLASS DOOR SYSTEM



- 1 KCS 01
- 2 KCS-L 02 10
- 3 KCS-L 03
- 4 KCS-L 04
- 5 KCS-L 05
- 6 KCS 07
- 7 KCS 12 M
- 8 KCS 22
- 9 KCS-L 24 A
- 10 KCS-L 24 B
- 11 KCS-L 25
- 12 KCS-L 26
- 13 KCS 27
- 14 CK 070
- 15 DL 01
- 16 KF 20
- 17 SF 01 10
- 18 VBS 28



KCS-L



outdoor living solutions

www.acvizon.com

KCS-X

KCS-X MENTEŞELİ KATLANIR CAM SİSTEMİ
KCS-X HINGED FOLDING DOOR SYSTEM



Menteşeli Katlanır Cam Sistemi - Raylı

Sistem	KCS-X Menteşeli Katlanır Cam Sistemi - Raylı
Materyal	Alüminyum - Cam
Cam Kalınlıkları	10-12 mm Temperli Cam
Profil Rengi	Nat. Eloksal - RAL Renkleri
Aksesuar Rengi	Metal
Maks. Kanat gen.	900 mm
Maks. Kanat yük.	3500 mm

Hinged Folding Glass Door System - Railed

System	KCS-X Hinged Folding Glass Door System - Railed
Material	Aluminium - Glass
Glass Thicknesses	10-12 mm Tempered Glasses
Colour opt. for profiles	Natural Anodised - RAL Colours
Colour opt. for acc.	Metal
Max. Panel width	900 mm
Max. Panel height	3500 mm



KCS-X MENTEŞELİ KATLANIR CAM SİSTEMİ-RAYLI | KCS-X HINGED FOLDING GLASS DOOR SYSTEM-RAILED



KCS-X 26

Paket Tipi
Package Type

1 takım
1 set



KCS 27

Paket Tipi
Package Type

1 adet
1 pc



KCS-X 28

Paket Tipi
Package Type

6 mt
6 lm



KCS-X 29

Paket Tipi
Package Type

1 adet
1 pc



DL 01

Paket Tipi
Package Type

1 takım
1 set



CK 070

Paket Tipi
Package Type

1 takım
1 set



SF 01 10

Paket Tipi
Package Type

200 m
200 lm
4 m



KF 20

Paket Tipi
Package Type

1 mt
1 m



KF 40

Paket Tipi
Package Type

1 mt
1 m



PA 01

Paket Tipi
Package Type


1 adet
1 pc



DST 02

Paket Tipi
Package Type


25 m
25 m



Profil Renkleri
Profile Colours


Nat. Eloksal - Natural Anodised

Diğer RAL Renkleri - Other RAL Colours



Aksesuar Renkleri
Accessory Colours

1	KCS 01
2	KCS-X 02 10
3	KCS-X 03
4	KCS-X 04
5	KCS-X 05
6	KCS 12 M
7	KCS 22
8	KCS-X 24 A
9	KCS-X 24 B
10	KCS-X 25
11	KCS-X 26
12	KCS 27
13	KCS-X 28
14	KCS-X 29
15	CK 070
16	DL 01
17	KF 20
18	SF 01 10
19	VBS 28



KCS-X



www.acvizon.com



KDS ISI YALITIMLI KATLANIR KAPI SİSTEMİ

KDS INSULATED FOLDING DOOR SYSTEM



Isı Yalıtımlı Katlanır Kapı Sistemi

Sistem	KDS Isı Yalıtımlı Katlanır Kapı Sistemi
Materyal	Alüminyum - Cam
Cam Kalınlıkları	10-28 mm Temperli ve Isı Yalıtımlı Cam
Profil Rengi	Nat. Eloksal - Pres - RAL Renkleri
Aksesuar Rengi	Siyah - Beyaz - Gri
Maks. Kanat gen.	900 mm
Maks. Kanat yük.	3500 mm

Insulated Folding Door System

System	KDS Insulated Folding Door System
Material	Aluminium - Glass
Glass Thicknesses	10-28 mm Tempered and Insulated Glasses
Colour opt. for profiles	Natural Anodised - Raw - RAL Colours
Colour opt. for acc.	Black - White - Grey
Max. Panel width	900 mm
Max. Panel height	3500 mm

KDS ISI YALITIMLI KATLANIR KAPI SISTEMI | KDS INSULATED FOLDING DOOR SYSTEM



KDS 01
Paket Tipi 6 mt
Package Type 6 lm



KDS 02
Paket Tipi 6 mt
Package Type 6 lm



KDS 03
Paket Tipi 6 mt
Package Type 6 lm



KDS 04
Paket Tipi 6 mt
Package Type 6 lm



KDS 05
Paket Tipi 6 mt
Package Type 6 lm



KDS 06
Paket Tipi 6 mt
Package Type 6 lm



KDS 07
Paket Tipi 6 mt
Package Type 6 lm




KDS 08
Paket Tipi 6 mt
Package Type 6 lm



KDS 09
Paket Tipi 6 mt
Package Type 6 lm



KDS 10
Paket Tipi 1 adet
Package Type 1 pc



KDS 11
Paket Tipi 1 adet
Package Type 1 pc



KDS 12
Paket Tipi 1 takım
Package Type 1 set



KDS 13 A
Paket Tipi 1 takım
Package Type 1 set



Nat. Eloksal - Natural Anodised

Pres - Raw

Diğer RAL Renkleri - Other RAL Colours



Gri - Grey








Siyah - Black

Beyaz - White

Profil Renkleri
Profile Colours

Aksesuar Renkleri
Accessory Colours

KDS ISI YALITIMLI KATLANIR KAPI SİSTEMİ | KDS INSULATED FOLDING DOOR SYSTEM



1	KDS 01
2	KDS 02
3	KDS 03
4	KDS 04
5	KDS 05
6	KDS 06
7	KDS 07
8	KDS 09
9	KDS 10
10	KDS 11
11	KDS 12
12	KDS 14 A
13	KDS 14 B
14	KDS 15
15	KDS 16
16	KDS 17
17	KDS 18
18	KDS 19
19	BS 03
20	DL 02





www.acvizon.com

Akdeniz Cam A.Ş. ürünlerde değişiklik yapma hakkını saklı tutar. Katalog içerisindeki resimler ve bilgiler izin alınmadan kopyalanamaz ve kullanılamaz.
Akdeniz Corp. reserves the right to change or modify the terms and conditions. Any documents, pictures and texts can not be copied and used without permission.



A: Büsan Org. San. Kosgeb Cad. No: 29 42250
Karatay / Konya - TÜRKİYE
T: +90 444 10 80 - +90 332 236 61 66
F: +90 332 235 38 77
bilgi@acvizyon.com
export@akdenizcam.com
www.acvizyon.com



outdoor living solutions outdoor living solutions outdoor living solutions outdoor living solutions outdoor living solutions outdoor living solutions outdoor living solutions outdoor living solutions outdoor living solutions outdoor living solutions outdoor living solutions outdoor living solutions outdoor living solutions outdoor living solutions outdoor living solutions outdoor living solutions